

ATTACHMENT-10



247 Main Road
P.O. Box 3
Colrain, MA 01340
Tel: 413-624-3471
Fax: 413-624-5590

May 15, 2019
U.S. Environmental Protection Agency
Water Enforcement
OPES4-SMR
5 Post Office Square, Suite 100
Boston, MA 02109-3912

Re: Federal Permit No. MA 0003697
State Permit No. 125

Subject: Barnhardt Manufacturing Company – Griswoldville Facility
Discharge Monitoring Report

In accordance with the above-referenced permit, we have attached the **Discharge Monitoring Report** for the monthly reporting period **April 1, 2019 through April 30, 2019**. As shown in the report, this facility was in compliance with the permit limitations except for sulfides. It was found post sampling the sampler pick up had migrated over to an area of decreased flow. The edge of this area had signs of 'black' staining on the wall/corner of the area. This would note a septic condition in this area of the outlet area but does not reflect the overall quality of the effluent. Historical and post sampling has shown to be in compliance.

Also attached is the monthly calculation worksheet, the daily production report, the monthly WWTP report and copies of the analytical reports.

If there are any questions, please call me at 413-624-3471 x 3720.

Sincerely,

Mark Thibodeau
Operations Manager
Barnhardt Manufacturing Company
Griswoldville Plant

cc: Department of Environmental Protection
436 Dwight Street
Springfield, MA 01103

MA DEP-Attn: Kathleen Keohane
Division of Watershed Management
Surface Water Discharge Permit
Program
8 New Bond Street
Worcester, MA 01606

File: 830

NOTICE: This is an EXTERNAL email. Do not click links or attachments unless you recognize the sender and know the content is safe.

NetDMR has received the following 1 DMR(s) during the signing process.

CORs have been created for the following DMRs. These DMRs will be forwarded for further processing:

Permitted Facility Name: BARNHARDT MANUFACTURING CO
Permit ID: MA0003697
Permitted Feature: 001
Discharge: Q - QUARTERLY MONITORING OUTFALL 001
Monitoring Period End Date: 04/30/19
Signing Status: SIGNED SUCCESSFULLY
Comment:
Attachments included in the COR: Yes

quarterly_sludge_and_sulfide_april_2019.pdf
bi_monthly_NPDES.pdf
Monthly_calculated_parameter_worksheet_april_2019.pdf
Cover_Letter_04-18_Mthly.doc
nepdes_and_quarterly_april_2019.pdf
Cover_Letter_3_19_Mthly_sulfide.doc

Thank you.

For information on the CDX/NetDMR migration process for individuals with an existing NetDMR account please see the following link <https://netdmr.zendesk.com/hc/en-us/articles/115002191163-NetDMR-to-CDX-Move-Walkthrough-Document>. Individuals with migration issues should contact NPDESReporting@epa.gov or 877-227-8965. Questions about CDX should be directed to the CDX Help Desk 888-890-1995. Question about NetDMR can be sent to EPA Region 1 at R1.NetDMR@epa.gov.